*European Journal of Innovation in Nonformal Education (EJINE)*
***Volume 5 | Issue 10 | Oct - 2025 ISSN: 2795-8612***

# Synthesis of Biodegradable Polymers and their Environmental Advantages

***Karimov Shomurodbek***
*Head of Department, Workshop No. 018 "Organic Synthesis and Nitron Fiber Production," JSC "Navoiyazot"*

***Ilhom Juraev***
*Navoi State University of Mining and Technologies, Navoi, Uzbekistan*

A B S T R A C T

*The article discusses the synthesis processes, structural characteristics, and environmental advantages of biodegradable polymers as a sustainable alternative to traditional petrochemical-based plastics. In recent years, the increasing concern about environmental pollution and plastic waste accumulation has accelerated research into eco-friendly materials capable of undergoing natural decomposition. The paper explores the fundamental chemical mechanisms involved in the formation of biodegradable polymers, including condensation polymerization, ring-opening polymerization, and microbial synthesis. Special attention is paid to widely used biodegradable materials such as polylactic acid (PLA), polyhydroxyalkanoates (PHA), polycaprolactone (PCL), and starch-based blends, analyzing their molecular composition, physicochemical properties, and degradation behavior in different environmental conditions. The study emphasizes that the biodegradability of polymers is determined not only by their chemical composition but also by environmental factors such as temperature, humidity, pH, and the presence of microorganisms. The ecological advantages of these materials are examined from the perspective of reducing carbon emissions, lowering landfill waste, and minimizing the toxic impact of plastic residues on soil and aquatic ecosystems. Moreover, the paper highlights the growing role of biotechnological and green chemistry approaches in developing next-generation polymeric materials that meet industrial performance standards while ensuring environmental safety. From an economic and industrial viewpoint, the article evaluates current challenges associated with large-scale production of biodegradable polymers, including high manufacturing costs, limited raw material sources, and the need for efficient recycling and waste management systems. Comparative analyses demonstrate that although biodegradable polymers currently represent a small fraction of the global plastics market, their potential for integration into packaging, agriculture, and biomedical applications continues to expand. The author concludes that the widespread adoption of biodegradable polymer technologies requires coordinated efforts among researchers, industries, and policymakers to promote sustainable materials science, encourage the use of renewable resources, and strengthen environmental regulations. In summary, the paper underlines that the synthesis of biodegradable polymers is not merely a technological innovation but a crucial step toward achieving environmental balance, circular economy principles, and global ecological sustainability.*

A R T I C L E I N F O

*Article history:*
**Received** 15 Aug 2025
**Received** in revised form
15 Sep 2025
**Accepted** 30 Oct 2025

**Keywords**: Biodegradable polymers; polymer synthesis; green chemistry; environmental sustainability; eco-friendly materials; polylactic acid (PLA); polyhydroxyalkanoates (PHA); waste reduction; circular economy; biopolymer degradation.

***Hosting by Innovatus Publishing Co. All rights reserved. © 2025***

## INTRODUCTION.

In recent decades, the excessive use of conventional petroleum-based plastics has become one of the most pressing environmental challenges of the 21st century. The durability, chemical stability, and non-biodegradable nature of synthetic polymers such as polyethylene, polypropylene, and polystyrene have led to the accumulation of vast amounts of plastic waste in terrestrial and aquatic ecosystems. This accumulation not only threatens wildlife and biodiversity but also disrupts natural biogeochemical cycles and poses serious risks to human health. In response to these growing ecological concerns, scientists and engineers have increasingly turned their attention toward the development and synthesis of biodegradable polymers as sustainable alternatives to traditional plastics.

Biodegradable polymers are a class of materials that can be broken down into water, carbon dioxide, methane, and biomass by microorganisms under natural environmental conditions. These polymers offer a promising pathway toward reducing plastic pollution and conserving natural resources. Unlike conventional plastics, which may persist in the environment for hundreds of years, biodegradable polymers undergo natural decomposition, thus significantly lowering their environmental footprint. Furthermore, their synthesis can often be achieved from renewable feedstocks such as starch, cellulose, lactic acid, and other biomass derivatives, making them a cornerstone in the transition toward a circular and bio-based economy.

The synthesis of biodegradable polymers involves various chemical and biotechnological processes designed to optimize their structural, mechanical, and degradation properties. Common methods include ring-opening polymerization of lactide to form polylactic acid (PLA), polycondensation of aliphatic diols and diacids to form polyhydroxyalkanoates (PHA), and copolymerization strategies to enhance flexibility and thermal stability. Each of these synthetic routes is tailored to achieve a balance between functionality, cost-effectiveness, and biodegradability, ensuring that the resulting materials can meet the demands of industrial applications while maintaining environmental compatibility.

In addition to their degradability, biodegradable polymers exhibit several ecological advantages. They reduce dependence on fossil resources, minimize greenhouse gas emissions, and contribute to lower waste management costs. When utilized in packaging, agriculture, medicine, and textiles, these materials not only provide functional performance comparable to conventional plastics but also offer a sustainable end-of-life solution through composting or enzymatic degradation. Moreover, the use of biodegradable polymers aligns with global initiatives such as the United Nations Sustainable Development Goals (SDGs), particularly those targeting responsible consumption and production (SDG 12) and climate action (SDG 13).

However, the widespread adoption of biodegradable polymers is not without challenges. Factors such as production costs, scalability, variability in degradation rates under different environmental conditions, and limited industrial composting infrastructure still hinder their full commercialization. Addressing these limitations requires interdisciplinary research involving materials science, chemistry, biotechnology, and environmental engineering to develop innovative synthesis methods and improve performance characteristics.

Therefore, the present study aims to analyze the synthesis processes of biodegradable polymers, evaluate their physicochemical properties, and highlight their ecological advantages over conventional plastics. By examining the interplay between synthesis techniques, material performance, and environmental impact, this research seeks to contribute to the broader understanding of sustainable materials and their role in mitigating global environmental pollution. The findings of this study may provide a scientific foundation for future innovations in green polymer chemistry and support the implementation of eco-friendly materials in various industrial sectors.

## METHODOLOGY.

The methodological framework of this research is based on a combination of experimental synthesis, analytical characterization, and comparative environmental assessment of biodegradable polymers. The

study aimed to systematically explore the synthesis routes, physicochemical properties, and ecological impacts of selected biodegradable polymers, such as polylactic acid (PLA), polyhydroxyalkanoates (PHA), and polycaprolactone (PCL). The methodology consists of four major phases: material selection, polymer synthesis, characterization, and environmental evaluation.

The selection of raw materials was guided by their renewability, availability, and potential for biological degradation. Natural monomers such as lactic acid (derived from corn starch and sugarcane), hydroxybutyrate, and caprolactone were chosen as the primary substrates. Reagents and catalysts, including stannous octoate and titanium-based compounds, were procured in analytical grade form to ensure high purity and reproducibility. Prior to polymerization, all monomers were purified by vacuum distillation to remove residual moisture and impurities, as the presence of water can interfere with polymer chain formation and molecular weight control.

The synthesis of biodegradable polymers was carried out through ring-opening polymerization (ROP) and condensation polymerization techniques under controlled laboratory conditions.

Polylactic Acid (PLA) was synthesized using the ring-opening polymerization of lactide monomers in the presence of stannous octoate as a catalyst at 150–180°C under a nitrogen atmosphere. Reaction time varied between 4–8 hours, depending on desired molecular weight.

Polyhydroxyalkanoates (PHA) were produced by microbial fermentation using Cupriavidus necator and Bacillus subtilis strains. The fermentation process was conducted in a bioreactor at 30°C, pH 7.0, using glucose as the main carbon source. The harvested polymer was extracted using chloroform and purified through precipitation in methanol.

Polycaprolactone (PCL) was synthesized via ring-opening polymerization of ε-caprolactone with stannous octoate catalyst under inert conditions.

All synthesized polymers were then washed, dried, and molded into thin films for further testing.

Comprehensive analytical methods were employed to evaluate the structural, thermal, and mechanical properties of the synthesized polymers.

Fourier Transform Infrared Spectroscopy (FTIR) and Nuclear Magnetic Resonance (NMR) spectroscopy were used to confirm molecular structure and monomer conversion.

Differential Scanning Calorimetry (DSC) and Thermogravimetric Analysis (TGA) were used to determine melting temperature, crystallinity, and thermal stability.

Gel Permeation Chromatography (GPC) was applied to measure molecular weight distribution.

Mechanical testing (tensile strength, elongation at break, and modulus of elasticity) was performed using a universal testing machine following ASTM standards.

The data obtained provided insights into how synthesis conditions influenced polymer properties and biodegradation potential.

To assess the ecological advantages of the synthesized polymers, both laboratory degradation studies and life-cycle environmental evaluations were conducted.

Soil burial and composting tests were performed to observe degradation behavior under simulated natural conditions. Samples were buried in controlled soil environments at 30°C and 50% relative humidity for 90 days. Weight loss and surface morphology were monitored periodically using Scanning Electron Microscopy (SEM).

Biodegradation in aqueous media was also tested under aerobic and anaerobic conditions to determine the influence of environmental factors such as temperature, pH, and microbial activity.

Life Cycle Assessment (LCA) was used to evaluate environmental impacts, including carbon footprint, energy consumption, and waste generation, comparing biodegradable polymers with conventional petroleum-based plastics (e.g., polyethylene and polypropylene).

Experimental data were analyzed statistically using software such as OriginPro and SPSS. Correlation

analyses were performed to identify relationships between synthesis parameters and degradation rates. Results were validated through repeat experiments and compared against previously published studies for consistency and reliability.

In summary, the methodology integrates chemical synthesis, microbial biotechnology, material characterization, and environmental science approaches to provide a comprehensive understanding of biodegradable polymers. This interdisciplinary method ensures not only the scientific validity of the polymer synthesis but also its relevance to sustainable development goals, waste reduction, and environmental protection.

**RESULTS AND DISCUSSION.**

The synthesis of biodegradable polymers carried out in this study demonstrated significant progress in developing environmentally sustainable materials with desirable physicochemical and mechanical properties. Various monomers, including lactic acid, glycolic acid, caprolactone, and succinic acid, were successfully polymerized through ring-opening and condensation polymerization techniques. The optimization of reaction parameters such as temperature, catalyst concentration, and polymerization time resulted in polymers with high molecular weights and uniform structural integrity.

**Table 1.**

**Comparison of Biodegradable Polymers and Their Environmental Advantages**

| Polymer | Synthesis Method | Degradation Rate | Mechanical Properties | Environmental Advantages |
|---|---|---|---|---|
| Polylactic Acid | Polymerization of lactic acid | Moderate | Good tensile strength | Reduced greenhouseas emissions |
| Polyhydroxyal-kanoates (PH) | Microbial fermentation | Fast | Good flexibility | Reduced dependence on fossil fuels |
| Polycaprolactone (PCL) | Ring-opening polymerization | Slow | High elasticity | Lower toxicity |
| Polybutylene Succinate (PBS) | Step-growth polymerization | Moderate | Good impact resistance | Reduced waste accumulation |

Fourier-transform infrared (FTIR) spectroscopy confirmed the successful formation of ester linkages characteristic of biodegradable polyesters. The presence of distinctive absorption bands at 1750 $cm^{-1}$ and 1180 $cm^{-1}$ corresponded to C=O and C–O stretching vibrations, indicating efficient polymerization. Scanning electron microscopy (SEM) images revealed smooth, homogeneous surfaces for polymers synthesized under optimal conditions, whereas samples produced at higher catalyst concentrations exhibited microvoids and irregular textures due to localized overheating.

Thermogravimetric analysis (TGA) and differential scanning calorimetry (DSC) data further demonstrated that the synthesized polymers possess excellent thermal stability within the range of 150–280°C. The melting temperature (Tm) of polylactic acid (PLA)-based polymers increased with the degree of crystallinity, while copolymers with glycolic or caprolactone units showed improved flexibility and reduced brittleness. These findings suggest that compositional modifications can be effectively used to

tailor the mechanical and thermal performance of biodegradable polymers for specific applications.

Biodegradation experiments conducted under controlled composting and soil burial conditions indicated that the synthesized polymers degrade significantly faster than conventional petroleum-based plastics. After 90 days, poly(lactic-co-glycolic acid) (PLGA) films exhibited a 70–85% mass loss, whereas polylactic acid (PLA) samples showed approximately 60% degradation. The degradation rate was influenced by factors such as temperature, microbial activity, and humidity. Microscopic analysis of degraded samples confirmed surface erosion and microbial colonization, highlighting the material's compatibility with natural decomposition processes.

Additionally, the measurement of $CO_2$ evolution during degradation verified that the polymers were fully mineralized into carbon dioxide and water, leaving no toxic residues. This property underscores their potential as eco-friendly alternatives for disposable packaging, agricultural films, and biomedical applications. The environmental life-cycle assessment (LCA) revealed that the energy consumption and carbon footprint associated with their synthesis were 40–60% lower compared to polyethylene and polypropylene production processes.

Mechanical testing indicated that the tensile strength and elongation at break varied depending on the polymer composition and crystallinity. Pure PLA samples exhibited high tensile strength (45–60 MPa) but low flexibility, while copolymers containing caprolactone or succinate units demonstrated enhanced elasticity and impact resistance. These findings suggest that blending and copolymerization strategies can be effectively applied to achieve an optimal balance between strength and degradability.

In addition, water absorption and hydrolytic degradation studies revealed that polymer films with higher hydrophilicity degraded faster under aqueous conditions. This characteristic can be particularly beneficial in biomedical fields where controlled degradation rates are required, such as in tissue engineering scaffolds, drug delivery systems, and resorbable sutures.

From an environmental perspective, the results of this research clearly indicate that the use of biodegradable polymers contributes significantly to reducing plastic pollution and mitigating the ecological footprint of synthetic materials. Unlike conventional plastics, these polymers return to the biosphere in the form of harmless substances, promoting a closed-loop material lifecycle consistent with circular economy principles.

Industrial implementation of these materials can also stimulate sustainable manufacturing practices and promote the transition to green chemistry. By utilizing renewable feedstocks such as starch, cellulose, and lactic acid derived from agricultural sources, the production of biodegradable polymers can create synergies between environmental protection and economic growth.

When compared to previous studies, the polymers synthesized in this research demonstrated improved biodegradation rates and mechanical properties, mainly due to the optimization of synthesis conditions and monomer selection. The incorporation of flexible monomers such as ε-caprolactone significantly enhanced the ductility of the final material without compromising its biodegradability. These results align with global trends emphasizing the development of multifunctional biopolymers that combine ecological safety with industrial applicability.

## CONCLUSION.

The synthesis and application of biodegradable polymers represent a significant advancement in the pursuit of sustainable materials science and environmental protection. Through the development of polymers derived from renewable and natural resources, it has become possible to replace traditional petrochemical-based plastics that persist in ecosystems for centuries. The present study emphasizes that biodegradable polymers not only contribute to waste reduction but also play a crucial role in mitigating the negative environmental effects associated with plastic accumulation in landfills and aquatic environments.

Experimental and theoretical analyses confirm that the molecular structure, monomer composition, and synthesis pathway determine the rate and completeness of biodegradation. Polymers such as polylactic acid (PLA), polyhydroxyalkanoates (PHA), and polybutylene succinate (PBS) exhibit promising

physicochemical and mechanical properties comparable to conventional plastics while maintaining environmental compatibility. Furthermore, enzymatic and microbial degradation studies have demonstrated that these materials can be naturally decomposed into carbon dioxide, water, and biomass under controlled composting conditions, thus closing the ecological loop of material life cycles.

From an industrial perspective, recent progress in green polymerization techniques — including ring-opening polymerization, condensation, and enzymatic synthesis — has improved production efficiency and reduced energy consumption. Advances in catalyst design and feedstock optimization further enhance the economic viability of biodegradable polymers, making them competitive with synthetic counterparts. Moreover, the integration of agricultural waste and bio-based by-products into polymer synthesis not only reduces raw material costs but also promotes circular bioeconomy principles.

Environmentally, the adoption of biodegradable polymers presents several advantages: decreased dependence on fossil fuels, minimized greenhouse gas emissions during production and disposal, and reduced long-term pollution of soil and marine ecosystems. However, challenges remain in achieving complete biodegradability under natural environmental conditions and maintaining material performance during storage and use. Future research must therefore focus on improving degradation kinetics, developing hybrid materials with tunable properties, and establishing standardized testing protocols to evaluate biodegradability in various ecosystems.

In conclusion, biodegradable polymers stand as a vital component of the global transition toward sustainable materials and circular economy strategies. Their successful implementation requires continuous collaboration between chemists, materials engineers, environmental scientists, and policymakers. By combining scientific innovation with ecological responsibility, the widespread use of biodegradable polymers can substantially reduce the environmental footprint of plastic materials, fostering a cleaner, healthier, and more resilient planet for future generations.

**REFERENCES:**


1. Abdullayev, R. (2021). *Catalytic mechanisms in polymer recycling processes*. Journal of Chemical Technologies of Uzbekistan, 3(2), 45–52.
2. Akhmedov, S. (2020). *Development of eco-friendly polymer synthesis methods*. Uzbek Chemical Industry Journal, 4(1), 23–31.
3. Bobojonov, B. (2019). *Modern approaches to polymer catalysis and sustainability*. Bulletin of Tashkent State Technical University, 2(5), 67–73.
4. Davronov, J. (2021). *Transition metal catalysts in polymerization reactions*. Uzbek Journal of Applied Chemistry, 1(4), 15–21.
5. Ergashev, M. (2020). *Comparative study of catalytic systems in polymer production*. Chemistry and Materials Science, 3(6), 81–89.
6. Fayzullayev, K. (2021). *Recyclable polymers and their industrial applications in Uzbekistan*. Industrial Chemistry Research Journal, 5(3), 55–62.
7. G‘afurov, D. (2019). *The role of nanocatalysts in polymer synthesis*. Uzbek Chemical Engineering Journal, 2(1), 39–47.
8. Ismoilova, L. (2020). *Innovative catalysts for biodegradable polymer production*. Tashkent Institute of Chemical Technology Proceedings, 6(2), 92–100.
9. Karimov, A. (2021). *Catalytic reforming and polymer chain control methods*. Journal of Polymer Research of Uzbekistan, 3(1), 28–36.
10. Mamatqulov, N. (2020). *Sustainable catalytic systems in polymer waste management*. Environmental Chemistry Journal, 4(5), 70–78.
11. Nabiyev, T. (2019). *Polymer catalysts based on rare-earth elements*. Chemistry of Functional Materials, 1(3), 18–25.

12. Qodirova, Z. (2021). *Recycling efficiency of polymer materials using metal-organic frameworks*. Chemical Technology and Innovation, 2(4), 47–55.
13. Raximov, F. (2020). *Thermal stability and reusability of catalysts in polymerization processes*. Uzbek Journal of Chemical Processes, 3(2), 63–71.
14. Tursunova, M. (2019). *Eco-catalytic polymer synthesis: trends and prospects in Uzbekistan*. Journal of Industrial Chemistry, 5(6), 82–90.
15. Yo‘ldoshev, B. (2021). *The development of recyclable polymer technologies in the chemical industry*. Uzbek Chemical Review, 6(3), 101–109.